

SWANSON & BRATSCHUN, L.L.C.

1745 SHEA CENTER DRIVE
SUITE 330
HIGHLANDS RANCH, COLORADO 80129
TELEPHONE (303) 268-0066
FACSIMILE (303) 268-0065
e-Mail: firm@sbiplaw.com

RECEIVED
CENTRAL FAX CENTER

MAY 13 2004

OFFICIAL

FACSIMILE COVER PAGE

TO: Examiner Chong Kim

COMPANY: ART UNIT: 3682

FACSIMILE #: 703-872-9306

FROM: Thomas D. Bratschun

DATE: May 10, 2004

Number of pages, including cover page 9 Faxed _____

Please call Elizabeth at (303) 268-0066 if you do not receive all pages or have trouble receiving this transmission.

THIS TRANSMISSION AND THE ACCOMPANYING DOCUMENTS MAY CONTAIN CONFIDENTIAL INFORMATION INTENDED ONLY FOR THE RECIPIENT NAMED ABOVE. IF YOU ARE NOT THE INTENDED RECIPIENT NAMED ABOVE, YOU ARE HEREBY NOTIFIED THAT ANY DISCLOSURE OR ACTION TAKEN BASED UPON THE CONTENT OF THIS TRANSMISSION IS PROHIBITED. IF YOU HAVE RECEIVED THIS INFORMATION IN ERROR, PLEASE NOTIFY OUR OFFICE IMMEDIATELY AND MAIL THIS TRANSMISSION TO OUR OFFICE.

Re: United States Patent Application Serial Number 09/753,978
Floating Cable Stop for a Cable Actuated Bicycle Component
Our Ref: AVID.13-3

Attorney Docket No. AVID:13-3

OFFICIAL**IN THE UNITED STATES PATENT AND TRADEMARK OFFICE**

APPLICANT: LUMPKIN
SERIAL NO.: 09/753,978
FILED: JANUARY 3, 2001
TITLE: FLOATING CABLE STOP FOR A
CABLE ACTUATED BICYCLE
COMPONENT

**RECEIVED
CENTRAL FAX CENTER**

} EXAMINER: KIM, CHONG MAY 13 2004
ART UNIT: 3682
CONFIRMATION NO.: 1708

VIA FACSIMILE ONLY
703-872-9306

Mail Stop Amendment
Commissioner for Patents
P.O. Box 1450
Alexandria, VA 22313-1450

AMENDMENT AND REMARKS

Sir:

In Response to the Office Action mailed in the above referenced application on February 25, 2004, Applicant responds as follows:

Amendments to the claims begin on page 2.

Remarks begin on page 5.

CERTIFICATE OF FACSIMILE TRANSMISSION

I hereby certify that this correspondence is being facsimile transmitted to the Patent and Trademark Office facsimile No. (703) 872-9306 on May 10, 2004.

Signature: Elizabeth A. McArthur
Name: Elizabeth A. McArthur